

SPOTLIGHT

AUSSIE ANIMALS CHRISTMAS TABLE RUNNER

N° 06.25.08
PROJECT SHEET



It's what you make it.

**SHOW US WHAT
YOU'RE MAKING**

 /spotlightstores

 @spotlightstores

CHRISTMAS BRIGHTS TABLE RUNNER

i BEGINNER

WHAT YOU'LL NEED

Size 1.2m x 40cm


- Sew Easy 60 degrees Triangle Ruler
- 4 x 25 cm of Christmas fabrics
- 1 x 1 meter Christmas fabrics for border, backing and tree
- 1 x 50 cm Christmas fabrics for binding and tree
- 1 fat quarter for the trunk
- 75 cm white tone on tone for Background
- 1.3 meter Pellon
- Gutermann Thread
- Sewing Machine
- Pins
- Safety pins for basting
- Clips for binding
- Sewing Machine
- Rotary Cutter
- Quilting Ruler
- Iron

CUTTING:

- For the trees, cut 1 x 2" strips from each fabric
- For the trunk, cut four pieces of 3 1/2" x 2 1/2" from the fat quarter
- From white tone on tone cut eight pieces of 3 1/2" x 5 1/2"
- Cut a 9 3/4" strip of white fabric. Then, using the ruler, cut four large triangles from the strip. Finally, cut large triangles in half to create 8 thinner triangles.
- Cut 8 pieces of 1 1/4" x 9 1/2" from the white tone on tone
- Cut 3 strips of 2 1/2" for border


INSTRUCTIONS

Step 1 - Arrange the strips of fabrics for the tree in a pleasing order and stitch them all together.



Step 2 - After sewing together cut out 4 trees using the 60-degree ruler.

Step 3 - Sew the half-triangles onto either side of the 60-degree triangle.




Step 4 - Sew the 1 1/4" strips either side of the tree.

Step 5 - Sew the background 3 1/2" x 5 1/2" either side of the trunk.

Step 6 - Sew the tree and the trunk together to form the block.

Step 7 - Sew the trees together with two on either side facing towards the center.



Step 8 - Sew the borders on the long sides of the runner.

Step 9 - Sew the border ends on the runner.

Step 10 - Press the top onto the Pellon and then lay on the backing and pin baste.

Step 11 - Quilt as desired using a walking foot or free motion.

Step 12 - Trim ready to bind.

Step 13 - Bind table runner using the binding strips. Sew to the back of the runner first then bring to the front and stitch down with a decorative stitch.

