

SPOTLIGHT

CHRISTMAS QUILTED STOCKINGS

N° 06.21.34
PROJECT SHEET

It's what you make it

SHOW US WHAT
YOU'RE MAKING

 /spotlightstores

 @spotlightstores

CHRISTMAS QUILTED STOCKINGS

e EASY

WHAT YOU'LL NEED

Sack 1

- 30cm Fabric A – Christmas Ornaments, Green
- 1m Fabric B – Christmas Splendor, Cream (includes lining)
- 30cm Fabric C – Santa's in Town, Vintage

Sack 2

- 1m Fabric A – Ornament Holiday, Cream (includes lining)
- 30m Fabric B – Woodland Splendor, Cream
- 30cm Fabric C – Santa Sack, Evergreen

Sack 3

- 30cm Fabric A – Holiday Glitz, Pine
- 1m Fabric B – Christmas Wishes, Green (includes lining)
- 30cm Fabric C – Santa's Coming, Blue

For all 3 sacks

- 1.5m Legacy cotton batting
- Matching Gutermann 100% cotton thread
- Rotary cutter, mat & quilters rulers
- Quilting pins, tape measure
- Scissors, seam ripper
- Hand needle
- Sewing machine with ¼" foot & walking foot

All fabrics should be 100% cotton, washed & pressed.

¼" seam allowance used throughout unless otherwise indicated.

Read all instructions carefully before commencing the project.

INSTRUCTIONS

CUTTING

All strips are cut across the width of fabric unless otherwise stated.

- From Fabric A cut 1 x 7¼" strip. With strip still folded place templates 1, 5, 6 and 9 onto the strip to cut stocking pieces for front and back of stocking.
- From Fabric B cut 1 x 7¼" strip. With strip still folded place templates 2, 3, 7 and 8 onto the strip to cut stocking pieces for front and back of stocking.
- From Fabric C use templates 4 and 10 to fussy cut stocking pieces on a single layer of fabric remembering to flip template 10 over so the piece will be facing right direction on the stocking back.
- Set aside lining fabric.
- Repeat for all sacks.

STOCKINGS

Step 1 - Lay out the pieces for stocking front referring to diagram. Repeat for stocking back.

Step 2 - Sew pieces together in rows as follows - 1 + 2; 3 + 4 + 5; 6 + 7; 8 + 9 + 10. Press seams in one direction alternating the direction in each row.

Step 3 - Sew the rows together matching seams. Press seams in one direction.

Step 4 - For the stocking back sew pieces together in rows as follows - 2 + 1; 5 + 4 + 3; 7 + 6; 9 + 8 + 10. Press seams in one direction alternating the direction in each row. Sew the rows together matching seams. Press seams in one direction.

Step 5 - Place lining fabric right together and using stocking front as a template cut out lining. Sew lining together around the edge leaving top edge open. Do not turn right side out. Press top edge ½" to the wrong side.

Step 6 - Place stocking front right side up on batting and cut around the edge. Quilt as desired. Repeat for stocking back.


Step 7 - Pin quilted stocking front and back together with right sides facing. Sew

together around the edge leaving top edge open. Turn right side out and press. Press top edge $\frac{1}{2}$ " to the wrong side.


Step 8 - Insert lining into stocking pushing down into foot, aligning side seams and top edges. Pin in place. Topstitch around top $\frac{1}{8}$ " in from the edge. Add another row of topstitching $\frac{1}{2}$ " in from the edge.

TEMPLATE

FRONT



BACK



Note - This template has been scaled. You will need to print this template at actual size and blow it up by 500% to make it full size.

