

TAKE + MAKE

REGAL PEACOCKS QUILT

INTERMEDIATE

WHAT YOU'LL NEED

- Fabric :
- (A) AWZ-73133-14 Natural 11/4 yards
- (B) AWZ-73134-14 Natural 11/4 yard
- (C) AWZ-73135-143 Coral 11/4 yard
- (D) AWZ-73131-81 Turquoise 11/4 yards
- (E) AWZ-73132-9 Navy 3²/₃ yard (Binding) AWZ-73131-81 Turquoise ⁵/₃ yard
- 4 yards Backing Fabric

Finished Quilt Measures: 64" x 72"

Note: Please read through all of the instructions before beginning. All of the seam allowances are 1/4" unless otherwise noted. Width of fabric (WOF) is equal to at least 42-1/2" wide. Press all seam allowances open after each seam is sewn, unless otherwise noted. Remember to measure twice and cut once!

WOF= Width of Fabric RST = Right sides together



CUTTING

Fabric A:

- Cut five strips 8-1/2" x WOF
- Subcut nine strips 8-1/2" x 16-1/2"

Fabric B:

- Cut two strips 16-1/2" x WOF
- Subcut nine strips 8-1/2" x 16-1/2"

Fabric C:

- Cut five strips 8-1/2" x WOF
- Subcut nine strips 8-1/2" x 16-1/2"

Fabric D:

- Cut five strips 8-1/2" x WOF
- Subcut nine strips 8-1/2" x 16-1/2"

Fabric E:

- Cut fifteen strips 8-1/2" x WOF
- Subcut seventy-two squares 8-1/2" x 8-1/2"

Binding

• Cut seven strips 2-1/2" x WOF

BLOCK ASSEMBLY

Step 1. Place an 8-1/2" Fabric E square at one end of a Fabric A strip (making sure that the Fabric A print is going the right way). Mark a diagonal line one the wrong side of the square as shown. Sew on the marked like and trim away the excess fabric, leaving a 1/4" seam allowance. Press towards the triangle.







Step 2. Repeat Step 1 with another 8-1/2" Fabric E square on the remaining end of the rectangle. The resulting flying geese (FG) block should measure 8-1/2" x 16-1/2".







Step 3. Repeat Steps 1 & 2 with remaining Fabric A strips to create a total of nine Fabric A FG's.

Step 4. Repeat Steps 1-3 for all remaining 8-1/2" x 16-1/2" Fabric B-D strips. When finished there sould be a total of nine of each block shown below.







QUILT TOP ASSEMBLY

Step 5. Following the diagram below sew blocks into pairs (noting fabic placement) and then sew the pairs into rows. Press odd numbered rows to the right and even numbered rows to the left.

Step 6. Sew the rows together pressing seams open or to one side. Your quilt top is now complete. Sandwich, baste and quilt using your favorite method. Bind using binding fabric.

