


SPOTLIGHT

TIS THE SEASON DIGITAL QUILT

Nº 03.25.05
PROJECT SHEET



It's what you make it.

**SHOW US WHAT
YOU'RE MAKING**

 /spotlightstores

 @spotlightstores

TIS THE SEASON DIGITAL QUILT

i INTERMEDIATE

WHAT YOU'LL NEED

- 7688P-44 1 panel (0.61m)
- Prima-Crimson $\frac{1}{3}$ yard (0.31m)
- Prima-Ivory $\frac{2}{3}$ yard (0.61m)
- Prima-Leaf $\frac{1}{4}$ yard (0.23m)
- 678-99 $\frac{1}{2}$ yard (0.46m)
- 7690-99 $\frac{1}{4}$ yard (0.23m)
- 7683-99 $\frac{1}{2}$ yard (0.46m)
- 7681-68 $\frac{7}{8}$ yard (0.80m)*
- 7687-99 2 $\frac{1}{4}$ yards (2.06m)
- Backing 7681-683 $\frac{3}{4}$ yards (3.43m)

Additional Supplies Needed:

- Batting 64" x 78" (162.56cm x 198.12cm)
- Recommended: Air Lite® Colour Me 100% Cotton
- Piecing and sewing thread Quilting and sewing supplies

CUTTING INSTRUCTIONS

Note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric

LOF = Length of Fabric

Fabric A (7688P-44 Banner Panel 24" x 44" – Cream):

Fussy cut (1) 22 $\frac{1}{2}$ " x 36 $\frac{1}{2}$ " strip centered on the panel.

Fabric B (Prima – Crimson), cut:

(2) 2" x 36 $\frac{1}{2}$ " WOF strips.

(2) 2" x 25 $\frac{1}{2}$ " WOF strips.

Fabric C (Prima – Ivory), cut:

(4) 1 $\frac{1}{2}$ " x 38 $\frac{1}{2}$ " WOF strips.

(2) 1 $\frac{1}{2}$ " x 26 $\frac{1}{2}$ " WOF strips.

(3) 1 $\frac{1}{2}$ " x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 $\frac{1}{2}$ " x 50 $\frac{1}{2}$ " strips.

(4) 1 $\frac{1}{2}$ " x WOF strips, sub-cut (36) 1 $\frac{1}{2}$ " x 4 $\frac{1}{2}$ " strips.

Fabric D (Prima – Leaf), cut:

(2) 1 $\frac{1}{2}$ " x 40 $\frac{1}{2}$ " WOF strips.

(2) 1 $\frac{1}{2}$ " x 28 $\frac{1}{2}$ " WOF strips.

Fabric E (7678-99 Main Floral Amaryllis – Black), cut:

(2) 4 $\frac{1}{2}$ " x WOF strips, sub-cut (18) 4 $\frac{1}{2}$ " squares.

(1) 4 $\frac{1}{2}$ " x WOF strip, sub-cut (2) 4 $\frac{1}{2}$ " x 8 $\frac{1}{2}$ " strips.

Fabric F (7690-99 Holly and Mistletoe – Black), cut:

(2) 2 $\frac{1}{2}$ " x WOF strips, sub-cut (16) 2 $\frac{1}{2}$ " x 4 $\frac{1}{2}$ " strips.

Fabric G (7683-99 Snowflake – Black), cut:

(3) 2 $\frac{1}{2}$ " x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2 $\frac{1}{2}$ " x 52 $\frac{1}{2}$ " strips.

(2) 2 $\frac{1}{2}$ " x 42 $\frac{1}{2}$ " WOF strips, piece as needed.

Fabric H (7681-68 Plaid – Green/Red), cut:

(3) 1 $\frac{1}{2}$ " x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 $\frac{1}{2}$ " x 56 $\frac{1}{2}$ " strips.

(3) 1 $\frac{1}{2}$ " x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 $\frac{1}{2}$ " x 44 $\frac{1}{2}$ " strips.

(7) 2 $\frac{1}{2}$ " x WOF strips for the binding.

Fabric I (7687-99 Border Stripe – Black), cut:

(2) 6 $\frac{1}{2}$ " x 74" LOF strips.

(2) 6 $\frac{1}{2}$ " x 60" LOF strips.

Backing (7681-68 Plaid – Green/Red), cut:

(2) 64" x WOF strips. Sew the strips together and trim to 64" x 78" to make the back.

SEWING

Sew using a $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise


noted by the arrows

Block Assembly

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations while assembling the various components.

Step 1 - Sew (1) 2" x 36 1/2" Fabric B strip to each side of the 22 1/2" x 36 1/2" Fabric A panel. Sew (1) 2" x 25 1/2" Fabric B strip to the top and bottom of the Fabric A panel to make the Center Block (Fig. 1). Trim the block to measure 24 1/2" x 38 1/2".

Center Block
B



Step 2 - Sew together (1) 1 1/2" x 4 1/2" Fabric C strip, (1) 2 1/2" x 4 1/2" Fabric F strip, (1) 1 1/2" x 4 1/2" Fabric C strip, (1) 4 1/2" Fabric E square, (1) 1 1/2" x 4 1/2" Fabric C strip, (1) 2 1/2" x 4 1/2" Fabric F strip, (1) 1 1/2" x 4 1/2" Fabric C strip, (1) 4 1/2" Fabric E square, (1) 1 1/2" x 4 1/2" Fabric C strip, (1) 4 1/2" x 8 1/2" Fabric E strip, (1) 1 1/2" x 4 1/2" Fabric C strip, (1) 4 1/2" Fabric E square, (1) 1 1/2" x 4 1/2" Fabric C strip, (1) 2 1/2" x 4 1/2" Fabric F strip, (1) 1 1/2" x 4 1/2" Fabric C strip, (1) 4 1/2" Fabric E square, (1) 1 1/2" x 4 1/2" Fabric C strip, (1) 2 1/2" x 4 1/2" Fabric F strip and (1) 1 1/2" x 4 1/2" Fabric C strip, in that order from top to bottom, to make (1) 4 1/2" x 42 1/2" Side Border strip (Fig. 2).

Repeat to make a second Side Border strip.

Side Boarder - make 2:



Step 3 - Sew together (1) 4 1/2" Fabric E square, (1) 1 1/2" x 4 1/2" Fabric C strip, (1) 2 1/2" x 4 1/2"

Fabric F strip, (1) 1 1/2" x 4 1/2" Fabric C strip, (1) 4 1/2" Fabric E square, (1) 1 1/2" x 4 1/2" Fabric C

strip, (1) 2 1/2" x 4 1/2" Fabric F strip, (1) 1 1/2" x 4 1/2" Fabric C strip, (1) 4 1/2" Fabric E square, (1) 1 1/2" x 4 1/2" Fabric C strip, (1) 2 1/2" x 4 1/2" Fabric F strip, (1) 1 1/2" x 4 1/2" Fabric C strip, (1) 4 1/2" Fabric E square, (1) 1 1/2" x 4 1/2" Fabric C strip, (1) 2 1/2" x 4 1/2" Fabric F strip, (1) 1 1/2" x 4 1/2" Fabric C strip and (1) 4 1/2" Fabric E square, in that order from left to right, to make the 4 1/2" x 36 1/2" Top Border (Fig. 3). Repeat to make the Bottom Border.

Bottom Boarder:



Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt.)

Step 4 - Sew (1) 1 ½" x 38 ½" Fabric C strip to each side of the Center Block. Sew (1) 1 ½" x 26 ½" Fabric C strip to the top and bottom of the Center Block.

Step 5 - Sew (1) 1 ½" x 40 ½" Fabric D strip to each side of the Center Block. Sew (1) 1 ½" x 28 ½" Fabric D strip to the top and bottom of the Center Block.

Step 6 - Sew (1) Side Border to each side of the Center Block. Sew the Top Border and Bottom Border to the top and to the bottom of the Center Block.

Step 7 - Sew (1) 1 ½" x 50 ½" Fabric C strip to each side of the Center Block. Sew (1) 1 ½" x 38 ½" Fabric C strip to the top and bottom of the Center Block.

Step 8 - Sew (1) 2 ½" x 52 ½" Fabric G strip to each side of the Center Block. Sew (1) 2 ½" x 42 ½" Fabric G strip to the top and bottom of the Center Block.


Step 9 - Sew (1) 1 ½" x 56 ½" Fabric H strip to each side of the Center Block. Sew (1) 1 ½" x 44 ½" Fabric H strip to the top and bottom of the Center Block.

Step 10 - Center (1) 6 ½" x 74" Fabric I strip on (1) side of the Center Block and pin in place. Start sewing the strip a ¼" from the top edge of the block and stop a ¼" from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.

Step 11 - Repeat Step 10 to sew (1) 6 ½" x 60" Fabric I strip to the top and to the bottom of the Center Block, making sure to stop and start ¼" away from each end of the block. To miter each corner, fold the Center Block on a diagonal, wrong side together. This should line up the strips from adjacent sides (Fig. 4).

Step 12 - Starting at the sewn seam (represented by the arrow in Figure 4), draw a 45-degree line to the edge of the fabric.

Sew on the drawn line. Trim the excess fabric leaving a ¼" seam. Repeat this step with the remaining corners.



LAYERING, QUILTING AND FINISHING

Step 13 - Press the quilt and 64" x 78" backing well. Layer backing (wrong side up), batting, pressed quilt (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

BINDING

Step 14 - Cut the ends of the (7) Fabric H binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

Step 15 - Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.

QUILT LAYOUT:

